

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 1

Item ID: D350-636-012

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Stop ***NS2***

Start Date: 1/6/2015 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 1/6/2015 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: ML5 Date: 15-01-06 Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2750-042	G								
D3492	C								

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo


0.00

Doc.Control -USB or Paperwork

record fwd angle: 89.6°

Photocopy blue file and type labels per PPP D350-636-012 CHG 007

DAS
06
5-89

15-1-8 

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 2

Item ID: D350-636-012**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible**Start Date:** 1/6/2015 **Start Qty:** 1.00***1*****Cust Item ID:****Required Date:** 1/6/2015 **Req'd Qty:** 1.00***1*****Customer:****Reference:****Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____**Run Start*****NR1*****QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____**Stop*****NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Down Time	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
110	Skidtubes	0.00							
110									
Skidtubes	Memo	0.00							
Skidtubes	1- Pick D2600-3 Bent								
	2- Deburr FWD and AFT ends, remove bending marks. Scribe batch# inside AFT end per dwg D2750								
	3- Drill pilot holes for blade fitting bolt holes using DT8983. Start with 3/16", then open to 0.500" using center drill then ream holes using 0.500" reamer. PIN first side. Repeat process on second side.								
	ENSURE PROPER POSITIONING FWD BEND MUST BE FACING UP WHEN DRILLING FIRST SIDE								
	Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig DT8150 & DT8863A for second side only DT8863B for first side (detail K)								
	4- Locate DT8329 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE.								
	5- Drill only two fwd step holes using DT9616. Ensure proper positioning.								
	6- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297".								
	7- Open up holes of Detail J to 0.297" (total of 2 holes per side)								
	8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004								

DGC 15-1-7

DGC 15-1-8

15-1-8 JH

15-01-12 BG

Tuesday, January 06, 2015 9:26:08 AM

Item ID: D350-636-012

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Stop *NS2*

Start Date: 1/6/2015 **Start Qty:** 1.00 ***1***

Cust Item ID:

Required Date: 1/6/2015 **Req'd Qty:** 1.00 ***1***

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Part Name	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
A/R	Aluminum Rod	batch: <u>M130B12</u>							
	9- Grind welds flush as per Dwg D2750								

120

QC10- Inspect visual per QSI004- ground welds	0.00
---	------

120

QC

Memo

Quality Control

DAS
38
9-89

JAN 12 2015

130

QC5- Inspect part completeness to step on W/O	0.00
---	------

130

QC

Memo

Quality Control

DAS
38
9-89

JAN 12 2015

Work Order ID 128085***128085***

Page 4

Item ID: D350-636-012

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Stop ***NS2***Start Date: 1/6/2015 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 1/6/2015 Req'd Qty: 1.00 ***1***



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	Chemical Conversion Coat per QSI005 4.1	0.00							
140									
HandFinish	Memo	0.00							
Hand Finishing									
150	QC7-Inspect Chemical Conversion Coat	0.00							
150									
QC	Memo	0.00							
Quality Control									

15-1-13 15-1-14 

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 5

Item ID: D350-636-012

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, PART (Apical) Cylindrical/Aerazur Float Compatible

Stop ***NS2***

Start Date: 1/6/2015 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 1/6/2015 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Skidtubes	0.00							
160									
Skidtubes	Memo	0.00							
Skidtubes	1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750.								
	2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) as per dwg D2750.								
	3- Open float holes using uni-bit to .500" (4 per Side)								
	4- Chamfer holes of Detail K, L, ground handling and float holes per dwg D2750 (welding instructions on sheet 9)								
	5- Deburr and blow out all chips from inside of tube								
	6- Prepare tube for welding, remove alodine as required.								
	7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: <u>131126</u> exp. date: <u>15-1-21</u>								
	8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 9) A/R Aluminum Rod batch: <u>M130812</u>								
	9- At section AP-AP drill out x-bolt spacer to 0.404"								
	10- Grind welds flush as per Dwg D2750								
	11- Spot face ground handling holes section (total of 4 places per side) as per								

DOC 15-1-14

BE15-01-15

BE15-01-16

Tuesday, January 06, 2015 9:26:08 AM

Page 6

[illegible]

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 7

Item ID: D350-636-012

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Stop

NS2

Start Date: 1/6/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/6/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Down Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	Pressure Wash per QSI005 4.3	0.00				1			DAS 41 9-89
190									
HandFinish	Memo	0.00							
Hand Finishing	Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.								15-1-30
200		0.00							DAS 41 9-89
200									
SprayPaint	Memo	0.00				1			
Spray Painting	1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: <u>130992</u>								15-2-8
	2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: <u>131233</u>								
210	QC14- Inspect Spray Paint	0.00							
210									
QC	Memo	0.00							
Quality Control	Inspect for foreign object per QSI 024								1R+1 d JH 15102109 DAS 15 9-89

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 8

Item ID: D350-636-012 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float
 Start Date: 1/6/2015 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 1/6/2015 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Dura Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
230 *230* HandFinish Hand Finishing	HandFinishing Memo 1-Install inserts as per dwg D2750 2-Inspect for Foreign Objects 3-Install blade fitting D3488-042, wearshoes and ground handling hardware as per dwg D2750 SIKA FLEX 241 BATCH: <u>M 131120</u> EXP DATE: <u>15108</u> 4-assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube batch: <u>M 123305 RTU 598 1362 M 125792 EXP 15108</u> 5-Coat all exposed fasteners with "LPS Procyon" batch: <u>M 122960</u>	0.00 0.00				<u>1134</u>	<u>1</u>	<u>15102/02</u>	
240 *240* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00				<u>1</u>			

DAS
38
9-89

15-02-13

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 9

Item ID: D350-636-012

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Stop

NS2

Start Date: 1/6/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/6/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
250	Pick Kit	0.00							
250						DAS 27 9-89			
Packaging	Memo	0.00							
Packaging									
									MAR 02 2015
260	QC4- 100% Inspect kits for completeness	0.00							
260						(1x)	DAS 46 9-89		MAR 11 2015
QC	Memo	0.00							
Quality Control									
270		0.00							
270						(1x)	DAS 46 9-89		MAR 11 2015
Packaging	Packaging								
Packaging	Memo	0.00							
Packaging	Package as per PPP D350-636-012								

Work Order ID 128085

Tuesday, January 06, 2015 9:26:08 AM

128085

Page 10

Item ID: D350-636-012

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Stop

NS2

Start Date: 1/6/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/6/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

NR1

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Down Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
280	QC21- Final Inspection - Work Order Release	0.00							
280									
QC	Memo	0.00							
Quality Control									

ML5 1503-16

mf
15-3-13

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 1

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:102.09.25Rearranged procedure stepsKJ
 IPP Rev:J 06-03-29 As per Rev D EC IPP REV:K
 AS PER REV F JLM 13-08-22 VERIFIED BY:DD
 IPP Rev:K 06-07.13 As per dsi9343 EC
 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verified By:EC
 IPP Rev:M 08-04-22 update steps 4,13 DD verified by:EC
 IPP Rev:N 08-09-23 revF as per dwg DD verified by:ec IPP Rev:O
 10.06.22 revise seq110 DD verf:EC IPP Rev:P 10.10.01 as
 per IIN revH DD verf:EC IPP REV:Q 13.08.27 PER ECN13-
 594 DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2600-3-BENT-RH		Manufactured	No			110	Each	12.0000	1	1			
D2600-3-BFNT-RH													
Extrusion Bent RH													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				LG002		12							
				<u>125888</u>		12							
D2744		Manufactured	No			110	Each	38.0000	1	1			
D2744													
Cap													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				LG001		38							
				<u>125894</u>		38							
D2739		Manufactured	No			160	Each	13.0000	1	1			
D2739													
350 I Beam													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				LG003		13							
				125889		13							

DGC 15-1-7.

BE15-01-12

125858 x1 DGC 15-1-14

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 2

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

D2743 Manufactured No 160 Each 155.0000 8 8

Start Qty: 1.00

Required Qty: 1.00

D2743

Crossbolt Spacer

**

BE 15-01-15

Location

Loc Qty

Loc Code

LG001

155

125893

8

127636

147

D3490-3 Manufactured No

160 Each 107.0000 4 4

D3490-3

Cross Bolt Spacer

**

BE 15-01-15

Location

Loc Qty

Loc Code

LG001

107

125903

107

D3490-1 Manufactured No

160 Each 117.0000 4 4

D3490-1

Cross Bolt Spacer

**

BE 15-01-15

Location

Loc Qty

Loc Code

LG001

117

125902

117

D3631-1 Manufactured No

230 Each 186.0000 8 8

D3631-1

Washer

**

15102/12

Location

Loc Qty

Loc Code

FP001

186

125912

186

B128320

x9

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 3

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

D3791-1

Manufactured No

230 Each

38.0000 Start Qty: 1.00 1 1

Required Qty: 1.00

D3791-1

Wearpad

**

all 15102109

Location

Loc Qty

Loc Code

FP002

38

125913

38

D3793-3

Manufactured No

230 Each

40.0000 1 1

D3793-3

Wearplate Aft

**

all 15102109

Location

Loc Qty

Loc Code

FP002

40

125915

40

MS21043-6

Purchased No

230 Each

214.0000 4 4

MS21043-6

NUT

**

all 15102112

Location

Loc Qty

Loc Code

FG

20

103693

20

FP001

194

m130325

6

m130726

188

D3794-1

Manufactured No

230 Each

36.0000 1 1

D3794-1

Gasket Fwd

**

all 15102109

Location

Loc Qty

Loc Code

FP001

36

124438

1

125916

35

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 4

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

NAS1611-010

Purchased

No

230

Each

Start Qty: 1.00
188.0000 8 8

Required Qty: 1.00

NAS1611-010

O-RING

**

15/02/09

Location

Loc Qty

Loc Code

FP001

188

11131329

x2

m130797

188

D2741

Manufactured

No

250

Each

11.0000

1

1

D2741 DAS
Replacement Blade

46

**

128088

DAS

06

9-89

9-89

Location

Loc Qty

Loc Code

FG

10

100664

3

113640

2

115522

5

ST538

1

124047

1

NAS1515H3L

Purchased

No

230

Each

695.0000

4

4

***NAS1515H3I ***

Washer

**

15/02/09

Location

Loc Qty

Loc Code

FG

40

102472

40

FP001

99

m127831

99

ST266

556

m127831

56

m130726

500

x4

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 5

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

NAS1611-013

Purchased

No

230

Each

958.0000

Start Qty: 1.00

8

8

Required Qty: 1.00

NAS1611-013

O-RING

**

1510209

Location

Loc Qty

Loc Code

FP001

958

m130758

958

x 8

AN3C6A

Purchased

No

230

Each

616.0000

4

4

AN3C6A

Bolt

**

1510209

Location

Loc Qty

Loc Code

CA

39

m128704

39

FG

10

122416

10

FP001

126

m128769

126

x 4

ST338a

441

m128769

441

NAS1149C0832R

Purchased

No

230

Each

191.0000

1

1

NAS1149C0832R

Washer

**

1510209

Location

Loc Qty

Loc Code

FP001

47

m114915

47

x 1

ST271

144

m125807

144

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 6

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

D3536-25

Manufactured No

230

Each

38.0000

Start Qty: 1.00

1

1

Required Qty: 1.00

D3536-25

Gasket Center

**

ll 13/01/09

Location

Loc Qty

Loc Code

FG

6

13128578

x1

87053

2

95328

4

FP001

32

125909

32

D3794-3

Manufactured No

230

Each

75.0000

1

1

D3794-3

Gasket Aft

**

ll 15/02/09

Location

Loc Qty

Loc Code

FP001

75

124948

1

125917

34

127383

39

92658

1

y1

AN3C5A

Purchased No

230

Each

1,165.000

34

34

AN3C5A

Bolt

**

ll 15/02/09

Location

Loc Qty

Loc Code

FG

5

122800

5

FP001

17

M130851

17

ST338a

1143

M130770

1000

M130851

143

x34

Tuesday, January 06, 2015 9:26:12 AM

Shop Packet Print

Page 6

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 7

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

D3537-1

Manufactured No

230

Each

67.0000

Start Qty: 1.00

3

3

Required Qty: 1.00

D3537-1

Wearpad

**

15/02/09

Location

Loc Qty

Loc Code

FG

18

79833

8

88562

10

FP001

49

125418

3

126306

46

B128225

x3

D3535-25

Manufactured No

230

Each

10.0000

1

1

D3535-25

Wearplate Center

**

15/02/09

Location

Loc Qty

Loc Code

FG

2

95077

2

FP002

8

125908

8

125908

8

D3492-3

Manufactured No

230

Each

210.0000

8

8

D3492-3

Plug

**

15/02/09

Location

Loc Qty

Loc Code

FP001

210

125905

210

B128476

x8

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 8

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

NAS1149C0332R

Purchased

No

230

Each

Start Qty: 1.00
4,519.000 38 38

Required Qty: 1.00

NAS1149C0332R

WASHER

**

15/02/09

Location

Loc Qty

Loc Code

FP001

2657

M131340

v38

m130325

2657

GA

126

125654

126

ST271

1736

m130325

736

m130466

1000

D3488-042

Manufactured

No

230

Each

2.0000

1

1

D3488-042

Blade Fitting RH

**

15/02/09

Location

Loc Qty

Loc Code

FP001

2

B125900

v1

125901

2

ALS4-1032-225

AELS8-1032-225

Purchased

No

230

Each

1,622.000

38

38

AI S4-1032-225

Rivnut

**

15/02/09

Location

Loc Qty

Loc Code

FG

120

M127028

120

FP001

698

M131067

698

st549

804

x38

M131067

804

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 9

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

D3492-1

Manufactured No

230

Each

Start Qty: 1.00
189.0000 8 8

Required Qty: 1.00

D3492-1

Plug

**

all 15/02/09

Location

Loc Qty

Loc Code

FP001

189

B129057

x6

125904

189

D3793-1

Manufactured No

230

Each

44.0000 1 1

D3793-1

Wearplate Fwd

**

all 15/02/09

Location

Loc Qty

Loc Code

FP002

44

B128235

xl

125914

43

126905

1

AN8C35A

Purchased No

230

Each

27.0000 1 1

AN8C35A

Bolt

**

all 15/02/09

Location

Loc Qty

Loc Code

FG

5

M131367

xl

121275

5

FP001

22

m130114

1

m130784

21

MS21083C8

Purchased No

230

Each

116.0000 1 1

MS21083C8

Nut

**

all 15/02/09

Location

Loc Qty

Loc Code

ST300

116

m131049

116

xl

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 10

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

D2745

Manufactured No

230

Each

92.0000

Start Qty: 1.00
8 8

Required Qty: 1.00

D2745
Bushing

**

all 1/5/02/12

Location

Loc Qty

Loc Code

FP001

92

B127585

125895

92

x0

AN6C44A

Purchased No

230

Each

110.0000

4

4

AN6C44A
Bolt

**

all 1/5/02/12

Location

Loc Qty

Loc Code

FG

2

M131546

103964

2

x0

FP001

4

m130863

4

ST286A

17

m130863

17

ST332

11

m130863

11

ST333

76

m131151

76

D3532-1

Manufactured No

250

Each

32.0000

2

2

D3532-1
Spacer
DAS
46
9-89

**

DAS
27

MAR 02 2015

Location

Loc Qty

Loc Code

ST048

32

B128091

125907

32

2

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 11

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

MS21083C8

Purchased

No

250

Each

Start Qty: 1.00
116.0000 2 2

Required Qty: 1.00

MS21083C8

DAS
46
9-89

Nut

**

MAR 02 2015

DAS
66
9-89

Location

Loc Qty

Loc Code

ST300

116

m131049

116

m/3/6/8

2

NAS1149D0863J

Purchased

No

250

Each

758.0000 2 2

DAS
27
9-89

MAR 02 2015

DAS
66
9-89

NAS1149D0863J

Washer

DAS
46
9-89

**

Location

Loc Qty

Loc Code

FP001

57

125484

57

ST260a

700

125268

600

125635

100

st268

1

125268

1

D3493-1

Manufactured

No

250

Each

109.0000 2 2

DAS
27
9-89

MAR 02 2015

DAS
66
9-89

D3493-1

Washer

DAS
46
9-89

**

Location

Loc Qty

Loc Code

FG

10

97201

10

ST046

99

125906

99

***ONLY INSTALL IF INSTALLING ON APICAL
FLOAT SYSTEM***

Picklist Print

Tuesday, January 06, 2015 9:26:12 AM

Page 12

Work Order ID: 128085

128085

Parent Item: D350-636-012

D350-636-012

Parent Item Name: Skidtube RH with Standard Wearplates, DART (Apical) Cylindrical/Aerazur Float Compatible

Start Date: 1/6/2015

Required Date: 1/6/2015

AN8C21A

Purchased

No

250

Each

20.0000

Start Qty: 1.00

2

2

Required Qty: 1.00

AN8C21A DAS
Bolt **46**
9-89

DAS
27
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

FG

2

123966

2

ST332

18

m131100

18

MBIS47

2

MAK G L LUD

QTY -041	QTY -042	QTY -043	QTY -044	PART NUMBER	DESCRIPTION
X				D2750-041	350 SKIDTUBE ASSEMBLY, LH
	X			D2750-042	350 SKIDTUBE ASSEMBLY, RH
		X		D2750-043	350 SKIDTUBE ASSEMBLY, LH
			X	D2750-044	350 SKIDTUBE ASSEMBLY, RH
1	1	1	1	D2739	WEB
8	8	8	8	D2743	SPACER
1	1	1	1	D2744	CAP
8	8	8	8	D2745	BUSHING
1				D2750-1	SKIDTUBE WELDMENT, LH
	1			D2750-2	SKIDTUBE WELDMENT, RH
		1		D2750-3	SKIDTUBE WELDMENT, LH
			1	D2750-4	SKIDTUBE WELDMENT, RH
1		1		D3488-041	BLADE FITTING, LH
	1		1	D3488-042	BLADE FITTING, RH
4	4	4	4	D3490-1	SPACER
4	4			D3490-3	SPACER
		4	4	D3490-5	SPACER
8	8	8	8	D3492-041	PLUG ASSEMBLY
8	8			D3492-043	PLUG ASSEMBLY
		8	8	D3492-045	PLUG ASSEMBLY
1	1	1	1	D3535-25	WEARSHOE
1	1	1	1	D3536-25	GASKET
3	3	3	3	D3537-1	WEARPAD
8	8	8	8	D3631-1	WASHER
1	1	1	1	D3791-1	WEARPLATE
1	1	1	1	D3793-1	WEARSHOE
1	1	1	1	D3793-3	WEARSHOE
1	1	1	1	D3794-1	GASKET
1	1	1	1	D3794-3	GASKET
38	38	38	38	ALS4-1032-225	INSERT (OR ALS7-1032-225, AKS4-1032-225, AELS-1032-225)
34	34	34	34	AN3C5A	BOLT
4	4	4	4	AN3C6A	BOLT
4	4	4	4	AN8C44A	BOLT
1	1	1	1	AN8C35A	BOLT
38	38	38	38	AN960C10L	WASHER
1	1	1	1	AN960C816L	WASHER
4	4	4	4	MS21043-6	NUT
1	1	1	1	MS21083C8	NUT
4	4	4	4	NAS1515H3L	WASHER

GENERAL NOTES:

- MATERIAL: MAKE D2750-1/-2/-3/-4 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
- FINISH: ACID ETCH, ALDINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB.
STANDARD: PRIME (REF. 4.2.1.3.3) AND PAINT WHITE PER DART QSI 005 4.2
OPTIONAL: POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED
- BREAK SHARP EDGES: N/A
- IDENTIFICATION: N/A
- WEIGHT: D2750-041/-042/-043/-044 = 26.5 LBS
- WELD PER DART QSI 004
- INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL 'F' SIZE HOLES (Ø.0297) FOR WEARSHOE INSERTS
- FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
- COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF
FINISH WITH MEK DEGREASER.
- SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
- SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL


G	CORRECTED TOLERANCE ON Ø.500 THRU HOLE: IS +0.010/-0.000, WAS +0.100/-0.000 (ZN B3-4, B2-5); ADD VIEW TO CONTROL FWD BEND ORIENTATION (ZN D-1-4/-3-4/-7); UPDATED FINISH OPTIONS; INSIDE OF TUBE NO LONGER SPRAYED WITH LPS-3. REASON: PART13-276 AND NCR13-2757	MB	13.07.11
F	INCORPORATE DSI 9413; QTY (3) D3537-1 WAS QTY (5) (ZN C8-1); D3791-1/-3 REPLACES D3535-13/-35 (ZN C8-1); D3794-1/-3 REPLACES D3536-13/-35 (ZN B8-1); ADD D3791-1 (ZN C8-1); WEARSHOE HOLES UNDER FWD/AFT SADDLE REMOVED (8 PL); WEARSHOE HARDWARE QTY UPDATED (ZN B8-1); D3488-041/-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	PH	08.07.16
E	CHANGE TO STAINLESS STEEL WEARPLATES; ADD RUBBER GASKETS, CHANGE INSERTS; ADD D3631-1; REMOVE QTY (38) NAS1515H3L; REMOVE QTY (10) NAS1515HBL; REMOVE D2741, QTY (2) AN960C816; REMOVE QTY (2) MS21083C8	CB	07.05.17
D	ADD HOLES AND SPACERS FOR APICAL FLOATS; INCORPORATE DEO 9133/9157	PH	06.01.05
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18
B	CHANGE MS24894-S293 TO AN8-16A	CP	98.09.01
A	NEW ISSUE	DS	98.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN	MM		
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	13.07.11		

DART AEROSPACE USA, INC.	
KENT, WA	
DRAWING NO.	REV. G
D2750	SHEET 1 OF 11
TITLE	SCALE
350 SKIDTUBE ASSEMBLY	NTS
COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

128085 MJS


15-01-06

RELEASED
2013-08-13




RELEASED
2013-08-13
MP

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 2 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS RELEASED ON THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D2750-043 350 SKIDTUBE ASSEMBLY, LH



D2750-044 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2013-08-13
nd

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	<i>[Signature]</i>	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. G
MFG. APPR.	<i>[Signature]</i>	D2750	SHEET 3 OF 11
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1985 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	

8

7

6



5

4

3


2

1




MAX ALLOWABLE
TWIST ON FWD BEND
(VIEWED LOOKING FWD)


D2750-1 LH SKIDTUBE




D7-4
DETAIL A
SCALE 2X




D7-4
DETAIL B
SCALE 2X




D5-4
DETAIL C
SCALE 2X




D3-4
DETAIL D
SCALE 2X




D6-4
SECTION E-E
SCALE 3X, 2 PL



D4-4
SECTION F-F
SCALE 3X, 17 PL



B4-4
SECTION G-G
SCALE 3X, 4 PL



B2-4
SECTION H-H
SCALE 3X, 4 PL

RELEASED
2013-08-13

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 4 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PREPARED AND CONTROLLED BY DART AEROSPACE USA, INC. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT PERMISSION FROM DART AEROSPACE USA, INC.	

8

7

6








5

4



3

2

1


**D2750-3 LH SKIDTUBE**RELEASED
2013-08-13

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 6 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PROPERTY OF DART AEROSPACE USA, INC. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




MAX ALLOWABLE
TWIST ON FWD BEND
(VIEWED LOOKING FWD)


D2750-4 RH SKIDTUBE




DETAIL AA
D7-7
SCALE 2X




DETAIL AB
C4-7
SCALE 2X




DETAIL AC
D3-7
SCALE 2X



SECTION AD-AD
D3-7
SCALE 3X, 17 PL




SECTION AE-AE
B6-7
SCALE 3X, 4 PL




SECTION AF-AF
B4-7
SCALE 3X, 4 PL

RELEASED
2013-08-13
MP

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 7 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED BY THE COPYRIGHT HOLDER UNDER A LICENSE TO BE USED FOR ANY PURPOSE OR FOR ANY OTHER PERSON OR ENTITY WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	








8 7 6 5 4 3 2 1




D2750-042 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2013-08-13




DESIGN	NM	DART AEROSPACE USA, INC.
DRAWN		KENT, WA
CHECKED		DRAWING NO. D2750
MFG. APPR.		REV. G
APPROVED		SHEET 9 OF 11
DE APPR.		TITLE
DATE	13.07.11	350 SKIDTUBE ASSEMBLY
		SCALE NTS


COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.




8 7 6 5 4 3 2 1




D2750-044 350 SKIDTUBE ASSEMBLY, RH




SECTION BB-BB
SCALE 3X, 4 PL




SECTION BD-BD
SCALE 3X, 4 PL
(HARDWARE REMOVED FOR CLARITY)



SECTION BC-BC
SCALE 3X, 4 PL



SECTION BE-BE
SCALE 3X, 4 PL



DETAIL BA
SCALE 2X

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 11 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1993 BY DART AEROSPACE USA, INC.	

RELEASED
2013-08-13